UNIVERSITY OF HAWAII
LIBRARY

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
A. Novick
D. C. Phillips
G. S. Stent

VOLUME 22
15 December to 28 December 1966

ACADEMIC PRESS
LONDON and NEW YORK

301
13

Copyright © 1966, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 22

NUMBER 1, 15 DECEMBER 1966

GREEN, D. M., Intracellular Inactivation of Infective SP82 Bacteriophage DNA 1

GREEN, D. M., Physical and Genetic Characterization of Sheared Infective SP82 Bacteriophage DNA 15

SHELTON, E. and KUFF, E. L., Substructure and Configuration of Ribosomes isolated from Mammalian Cells 23

SIGNER, E. R. and BECKWITH, J. R., Transposition of the *Lac* Region of *Escherichia coli*. III. The Mechanism of Attachment of Bacteriophage $\phi 80$ to the Bacterial Chromosome 33

FRIEDMAN, D. I., POLLARA, B. and GRAY, E. D., Structural Studies of the Ribosomes of *Rhodopseudomonas spheroides* 53

WATSON, J. D. and RALPH, R. K., The Nature of 7 s RNA in Mammalian Cells 67

THOMAS, R., Control of Development in Temperate Bacteriophages. I. Induction of Prophage Genes following Hetero-immune Super-infection . . 79

DAVISON, P. F., The Rate of Strand Separation in Alkali-treated DNA . 97

CHEN, K-C. and RAVIN, A. W., Heterospecific Transformation of Pneumococcus and Streptococcus. I. Relative Efficiency and Specificity of DNA Helping Effect 109

CHEN, K-C. and RAVIN, A. W., Heterospecific Transformation of Pneumococcus and Streptococcus. II. Dependence of Relative Efficiency of Marker Integration on Host Genome 123

DUNNILL, P., GREEN, D. W. and SIMMONS, R. M., Heavy-atom Sulphydryl Derivatives of Ox Haemoglobin and β Lactoglobulin; Factors affecting Isomorphism of Native and Derivative Crystals 135

MOORE, P. B., Studies on the Mechanism of Messenger Ribonucleic Acid Attachment to Ribosomes 145

SCHACHTER, E. M., BENDET, I. J. and LAUFFER, M. A., Orientation of the RNA in Tobacco Mosaic Virus 165

Letters to the Editor—

GRANBOULAN, N. and FRANKLIN, R. M., Electron Microscopy of Viral RNA, Replicative Form and Replicative Intermediate of the Bacteriophage R17 173

HOOD, L., GRAY, W. R. and DREYER, W. J., On the Evolution of Antibody Light Chains 179

EBERLE, H. and LARK, K. G., Chromosome Segregation in *Bacillus subtilis* 183

MCGAVIN, S., WILSON, H. R. and BARR, G. C., Intercalated Nucleic Acid Double Helices: a Stereochemical Possibility 187

INOUYE, M. and TSUGITA, A., The Amino Acid Sequence of T4 Bacteriophage Lysozyme 193

Erratum 197

NUMBER 2, 28 DECEMBER 1966

JONES, O. W. and BERG, P., Studies on the Binding of RNA Polymerase to Polynucleotides 199

GERSONDE, K. und NETTER, H., Elektronen-Spin-Resonanz-Untersuchungen der Assoziation von Mangan-Ionen mit drei-wertigem Walmyoglobin und Pferdehämoglobin 211

SCHAECHTER, M. and MCQUILLEN, K., Synthesis of Messenger Ribonucleic Acid and the Assembly of Polysomes in *Bacillus megaterium* infected with Bacteriophage 223

OESCHGER, M. P. and NATHANS, D., Differential Synthesis of Bacteriophage-specific Proteins in MS2-infected *Escherichia coli* treated with Actinomycin 235

NAGEL, R. L. and GIBSON, Q. H., Kinetics of the Reaction of Carbon Monoxide with the Hemoglobin–Haptoglobin Complex 249

ERIKSON, R. L., ERIKSON, E. and GORDON, J. A., Structure and Function of Bacteriophage R17 Replicative Intermediate RNA. I. Studies on Sedimentation and Infectivity 257

DENIS, H., Gene Expression in Amphibian Development. I. Validity of the Method used: Interspecific and Intraspecific Hybridization between Nucleic Acids. Properties of Messenger RNA Synthesized by Developing Embryos 269

DENIS, H., Gene Expression in Amphibian Development. II. Release of the Genetic Information in Growing Embryos 285

ROTH, J. R., ANTÓN, D. N. and HARTMAN, P. E., Histidine Regulatory Mutants in *Salmonella typhimurium*. I. Isolation and General Properties . . 305

ROTH, J. R. and AMES, B. N., Histidine Regulatory Mutants in *Salmonella typhimurium*. II. Histidine Regulatory Mutants having Altered Histidyl tRNA Synthetase 325

SILBERT, D. F., FINK. G. R. and AMES, B. N., Histidine Regulatory Mutants in *Salmonella typhimurium*. III. A Class of Regulatory Mutants Deficient in tRNA for Histidine 335

67 92918

QH 301
J 73
v.22

CONTENTS

Letters to the Editor—

WAINFAN, E., SRINIVASAN, P. R. and BOREK, E., Inhibition of tRNA Methylases in Lysogenic Organisms after Induction by Ultraviolet Irradiation or by Heat 349

LAMFROM, H., MCLAUGHLIN, C. S. and SARABHAI, A., Direction of Reading the Genetic Message in Reticulocytes 355

KEDES, L. H., KOEGEL, R. J. and KUFF, E. L., Relationship between Structural Proteins of Derived Ribosomal Subunits and Cytoplasmic Postribosomal Particles of Mammalian Cells 359

GEORGIEV, G. P., ANANIEVA, L. N. and KOZLOV, J. V., Stepwise Removal of Protein from a Deoxyribonucleoprotein Complex and De-repression of the Genome 365

PULLMAN, B., CLAVERIE, P. and CAILLET, J., On the Exclusivity of Hydrogen-bonded Pairing between the Watson–Crick Complementary Bases. 373

O'BRIEN, E. J., Structure of a Purine–Pyrimidine Crystalline Complex: 9-Ethylguanine with 1-Methyl-5-fluorocytosine 377

HUANG, A. S. and WAGNER, R. R., Comparative Sedimentation Coefficients of RNA extracted from Plaque-forming and Defective Particles of Vesicular Stomatitis Virus 381

COHEN, C., SLAYTER, H., GOLDSTEIN, L., KUCERA, J. and HALL, C., Polymorphism in Fibrinogen Aggregates 385

BANASZAK, L. J., Malate Dehydrogenases: Crystallographic Properties of the Soluble Heart Enzymes 389

PARISH, J. H., KIRBY, K. S. and KLUCIS, E. S., Rapidly Labelled, Low Molecular Weight RNA from Rat-liver Cytoplasmic Ribonucleoprotein Particles 393

GOULD, H., BONANOU, S. and KANAGALINGHAM, K., Structural Characterization of Ribosomal Ribonucleic Acids from Various Species by a New 'Fingerprinting' Technique 397

LOOMIS, W. F., JR. and SUSSMAN, M., Commitment to the Synthesis of a Specific Enzyme during Cellular Slime Mold Development . . 401

HANSON, K. R., Symmetry of Protein Oligomers formed by Isologous Association. 405

SLUYSER, M., Binding of Testosterone and Hydrocortisone to Rat-tissue Histones 411

Errata 415

Announcement 417

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_december-15-28-1966_22_contents

Index to Volume 22

Actinomycin treatment of MS2-infected *Escherichia coli*, differential synthesis of bacteriophage-specific proteins, 235
Ames, B. N. (see Roth, J. R.), 325
— (see Silbert, D. F.), 335
Amino acid sequence of T4 bacteriophage lysozyme, 173
Amphibian gene expression in development, 269, 285
Ananieva, L. N. (see Georgiev, G. P.), 365
Antibody light chains, evolution, 179
Anton, D. N. (see Roth, J. R.), 305

Bacillus megaterium infected with bacteriophage, assembly of polysomes, 223
— *subtilis* chromosome aggregation, 183
Bacteriophage R17, electron microscopy of viral RNA replicative form and replicative intermediate, 173
— — replicative intermediate RNA sedimentation and infectivity, 257
— SP82 DNA, intracellular inactivation, 1
— — — sheared infective, physical and genetic characterization, 15
— -specific proteins, differential synthesis in MS2- infected *Escherichia coli* treated with actinomycin, 235
— T4, amino acid sequence of lysozyme, 173
Bacteriophages, temperate, control of development. I. Induction of prophage genes following heteroimmune super-infection, 79
Banaszak, L. J., Malate dehydrogenases: crystallographic properties of the soluble heart enzymes, 389
Barr, G. C. (see McGavin, S.), 187
Beckwith, J. R. (see Signer, E. R.), 33
Bendet, I. J. (see Schachter, E. M.), 165
Berg, P. (see Jones, O. W.), 199
Bonanou, S. (see Gould, H.), 397
Borek, E. (see Wainfan, E.), 349

Caillet, J. (see Pullman, B.), 373
Carbon monoxide, kinetics of reaction with the haemoglobin–haptoglobin complex, 249
Chen, K-C. & Ravin, A. W., Heterospecific transformation of Pneumococcus and Streptococcus. I. Relative efficiency and specificity of DNA helping effect, 109
— — — — — — . II. Dependence of relative efficiency of marker integration on host genome, 123
Chromosome segregation in *Bacillus subtilis*, 183
Claverie, P. (see Pullman, B.), 373
Cohen, C., Slayter, H., Goldstein, L., Kucera, J. & Hall, C., Polymorphism in fibrinogen aggregates, 385
Crystalline purine–pyrimidine complex: structure of 9-ethylguanine with 1-methyl-5-fluorocytosine, 277
Crystallographic properties of the soluble heart enzymes, 389

Davison, P. F., The rate of strand separation in alkali-treated DNA, 97
Denis, H., Gene expression in amphibian development. I. Validity of the method used: interspecific and intraspecific hybridization between nucleic acids. Properties of messenger RNA synthesized by developing embryos, 269
— — — — — genetic information in growing embryos, 285
Deoxyribonucleic acid helping effect, relative efficiency and specificity in Pneumococcus and Streptococcus heterospecific transformation, 109
— — of sheared, infective bacteriophage SP82, physical and genetic characterization, 15
— —, on the exclusivity of hydrogen-bonded pairing between the Watson–Crick complementary bases, 373

Deoxyribonucleic acid, rate of strand separation after alkali treatment, 97
— — of SP82 bacteriophage, intracellular inactivation, 1
Deoxyribonucleoprotein complex, stepwise removal of protein and de-repression of the genome, 365
Dreyer, W. J. (see Hood, L.), 179
Dunnill, P., Green, D. W. & Simmons, R. M., Heavy-atom sulphydryl derivatives of ox haemoglobin and β-lactoglobulin; factors affecting isomorphism of native and derivative crystals, 135

Eberle, H. & Lark, K. G., Chromosome segregation in *Bacillus subtilis*, 183
Electron microscopy of viral RNA replicative form and replicative intermediate of the bacteriophage R17, 173
Enzyme, specific commitment to synthesis during cellular slime mold development, 401
Enzymes, soluble heart, crystallographic properties, 389
Erikson, E. (see Erikson, R. L.), 257
—, R. L., Erikson, E. & Gordon, J. A., The structure and function of bacteriophage R17 replicative intermediate RNA. I. Studies on sedimentation and infectivity, 257
Escherichia coli Lac region transposition, 33
9-Ethylguanine with 1-methyl-5-fluorocystosine: structure of a purine–pyrimidine crystalline complex, 377
Evolution of antibody light chains, 179

Fibrinogen aggregates' polymorphism, 385
'Fingerprinting' techniques to characterize the structure of ribosomal ribonucleic acids from various species, 397
Fink, G. R. (see Silbert, D. F.), 335
Franklin, R. M. (see Granboulan, N.), 173
Friedman, D. I., Pollara, B. & Gray, E. D., Structural studies of the ribosomes of *Rhodopseudomonas spheroides*, 53

Gene expression in amphibian development, 269, 285
Genes of prophage, induction following heteroimmune superinfection, 79
Genetic and physical characterization of sheared infective SP 82 bacteriophage DNA, 15
— message, direction of reading in reticulocytes, 355
Genome of host, dependency of relative efficiency of marker integration in heterospecific transformation of Pneumococcus and Streptococcus, 123
Georgiev, G. P., Ananieva, L. N. & Kozlov, J. V., Stepwise removal of protein from a deoxyribonucleoprotein complex and de-repression of the genome, 365
Gersonde, K. & Netter, H. Elektronen-Spin-Resonanz-Untersuchungen der Assoziation von Mangan-Ionen mit drei-wertigen Walmyoglobin und Pferdehämoglobin, 211
Gibson, Q. H. (see Nagel, R. L.), 249
Goldstein, L. (see Cohen, C.), 385
Gordon, J. A. (see Erikson, R. L.), 257
Gould, H. Bonanou, S. & Kanagalingham, K., Structural characterization of ribosomal ribonucleic acids from various species by a new 'fingerprinting' technique, 397
Granboulan, N. & Franklin, R. M., Electron microscopy of viral RNA replicative form and replicative intermediate of the bacteriophage R17, 173
Gray, E. D. (see Friedman, D. I.), 53
—, W. R. (see Hood, L.), 179
Green, D. W. (see Dunnill, P.), 135
—, Intracellular inactivation of infective SP82 bacteriophage DNA, 1
—, The physical and genetic characterization of sheared infective SP82 bacteriophage DNA, 15

Hall, C. (see Cohen, C.), 385
Hanson, K. R., Symmetry of protein oligomers formed by isologous association, 405
Hartman, P. E. (see Roth, J. R.), 305
Hemoglobin–haptoglobin complex, kinetics of reaction with carbon monoxide, 249
Histidine regulatory mutants in *Salmonella typhimurium*, 305, 325, 335
Hood, L., Gray, W. R. & Dreyer, W. J., On the evolution of antibody light chains, 179
Huang, A. S. & Warner, R. R., Comparative sedimentation coefficients of RNA extracted from plaque-forming (B) and defective (T) particles of vesicular stomatitis virus, 381

Inouye, M. & Tsugita, A., The amino acid sequence of T4 bacteriophage lysozyme, 193
Intercalated nucleic acid double helices—a stereochemical possibility, 187

Jones, O. W. & Berg, P., Studies on the binding of RNA polymerase to polynucleotides, 199

Kanagalingham, K. (see Gould, H.), 397
Kedes, L. H., Koegel, R. J. & Kuff, E. L., Relationship between structural proteins of derived ribosomal subunits and cytoplasmic postribosomal particles of mammalian cells, 359
Kinetics of the reaction of carbon monoxide with the hemoglobin–haptoglobin complex, 249
Kirby, K. S. (see Parish, J. H.), 383
Klucis, E. S. (see Parish, J. H.), 383
Koegel, R. J. (see Kedes, L. H.), 359
Kozlov, J. V. (see Georgiev, G. P.), 365
Kucera, J. (see Cohen, C.), 385
Kuff, E. L. (see Kedes, L. H.), 359
— , (see Shelton, E.), 23

Lac region of *Escherichia coli* transposition, 33
β–Lactoglobulin and ox haemoglobin heavy-atom sulphydryl derivatives; factors affecting isomorphism of native and derivative crystals, 135
Lamfrom, H., McLaughlin, C. S. & Sarabhai, A., Direction of reading the genetic message in reticulocytes, 355
Lark, K. G. (see Eberle, H.), 183
Lauffer, M. A. (see Schachter, E. M.), 165
Loomis, W. F., Jr. & Sussman, M., Commitment to the synthesis of a specific enzyme during cellular slime mold development, 401
Lysogenic organisms, tRNA methylases inhibited after induction by ultraviolet irradiation or by heat, 349
Lysozyme from T4 bacteriophage, amino acid sequence, 173

MS 2 (see bacteriophage), 235
Malate dehydrogenases: crystallographic properties of the soluble heart enzymes, 389
Mammalian cell 7s RNA, 67
— — derived ribosomal subunits and cytoplasmic postribosomal particles, relationship between structural proteins, 359
McGavin, S., Wilson, H. R. & Barr, G. C., Intercalated nucleic acid double helices—a stereochemical possibility, 187
McLaughlin, C. S. (see Lamfrom, H.), 355
McQuillen, K. (see Schaechter, M.), 223
Messenger RNA attachment to ribosomes, 145
— — synthesis and the assembly of polysomes in *Bacillus megaterium* infected with bacteriophage, 223
— — synthesized by developing amphibian embryos, its properties, 269
1-Methyl-5-fluorocytosine with 9-ethylguanine: structure of a purine–pyrimidine crystalline complex structure, 377
Methylases, tRNA, in lysogenic organisms inhibited after induction by ultraviolet irradiation or by heat, 349
Moore, P. B., Studies on the mechanism of messenger RNA attachment to ribosomes, 145

Nagel, R. L. & Gibson, Q. H., Kinetics of the reaction of carbon monoxide with the hemoglobin–haptoglin complex, 249
Nathans, D. (see Oeschger, M. P.), 235
Netter, H. (see Gersonde, K.), 211
Nucleic acid double helices, intercalated, a stereochemical possibility, 187
— acids, interspecific and intra-specific hybridization, in amphibian development gene expression, 269

O'Brien, E. J., Structure of a purine–pyrimidine crystalline complex: 9-ethylguanine with 1-methyl-5-fluorocytosine, 377
Oeschger, M. P. & Nathans, D., Differential synthesis of bacteriophage-specific proteins in MS2-infected *Escherichia coli* treated with actinomycin, 235
Ox haemoglobin and β-lactoglobulin heavy-atom sulphydryl derivatives; factors affecting isomorphism of native and derivative crystals, 135

Parish, J. H., Kirby, K. S. & Klucis, E. S., Rapidly labelled, low molecular weight RNA from rat liver cytoplasmic ribonucleoprotein particles, 383
Pneumococcus and Streptococcus heterospecific transformation, 109, 123
Pollara, B. (see Friedman, D. I.), 53
Polymerase, ribonucleic acid, bound to polynucleotides, 199
Polymorphism in fibrinogen aggregates, 385
Polysome assembly in *Bacillus megaterium* infected with bacteriophage, 223
Prophage gene induction following heteroimmune super-infection, 79
Protein, stepwise removal from a deoxyribonucleoprotein complex and de-repression of the genome, 365
Pullman, B., Claverie, P. & Caillet, J., On the exclusivity of hydrogen-bonded pairing between the Watson–Crick complementary bases, 373
Purine–pyrimidine crystalline complex: structure of 9-ethylguanine with 1-methyl-5-fluorocytosine, 377

R17 (see bacteriophage), 173, 257
Ralph, R. K. (see Watson, J. D.), 67
Ravin, A. W. (see Chen, K-C.), 109, 123
Replicative form and replicative intermediate of the bacteriophage R17, electron microscopy of the viral RNA, 173
Reticulocytes, direction of reading the genetic message, 355
Rhodopseudomonas spheroides ribosomal structural studies, 53
Ribonucleic acid, 7s, in mammalian cells, 67
— —, a class of regulatory mutants in *Salmonella typhimurium* deficient in tRNA for histidine, 335
— —, altered histidyl-tRNA synthetase in histidine regulatory mutants of *Salmonella typhimurium*, 325
— —, electron microscopy of replicative form and replicative intermediate of bacteriophage R17, 173
— — extracted from plaque-forming (B) and defective (T) particles of vesicular stomatitis virus, sedimentation coefficients, 381
— —, messenger, mechanism of attachment to ribosomes, 145
— —, mRNA synthesis and the assembly of polysomes in *Bacillus megaterium* infected with bacteriophage, 223
— — orientation in tobacco mosiac virus, 165
— — polymerase binding to polynucleotides, 199
— —, properties of messenger, synthesized by developing amphibian embryos, 269
— —, rapidly labelled, low molecular weight, from rat liver cytoplasmic ribonucleoprotein particles, 383
— — replicative intermediate in bacteriophage R17, sedimentation and infectivity, 257
— —, tRNA methylases in lysogenic organisms inhibited after induction by ultraviolet irradiation or by heat, 349
— acids, ribosomal, from various species, structural characterization by a new 'fingerprinting' technique, 397
Ribosomal derived subunits and cytoplasmic postribosomal particles of mammalian cells, relationship between structural proteins, 359
Ribosomes from mammalian cells, substructure and configuration, 23
—, mechanism of messenger RNA attachment, 145
— of *Rhodopseudomonas spheroides*, structural studies, 53
Roth, J. R. & Ames, B. N., Histidine regulatory mutants in *Salmonella typhimurium*. II. Histidine regulatory mutants having altered histidyl-tRNA synthetase, 325
—, Anton, D. N. & Hartman, P. E., Histidine regulatory mutants in *Salmonella typhimurium*. I. Isolation and general properties, 305

P82 (see bacteriophage), 1, 15
almonella typhimurium histidine regulatory mutants, 305, 325, 335
ARABHAI, A. (see LAMFROM, H.), 355
CHACHTER, E. M., BENDET, I. J. & LAUFFER, M. A., Orientation of the RNA in tobacco mosaic virus, 165
CHAECHTER, M., & MCQUILLEN, K., Synthesis of messenger ribonucleic acid and the assembly of polysomes in *Bacillus megaterium* infected with bacteriophage, 223
edimentation coefficients of RNA extracted from plaque-forming (B) and defective (T) particles of vesicular stomatitis virus, 381
HELTON, E. & KUFF, E. L., Substructure and configuration of ribosomes isolated from mammalian cells, 23
ILBERT, D. F., FINK, G. R. & AMES, B. N., Histidine regulatory mutants in *Salmonella typhimurium*. III. A class of regulatory mutants deficient in tRNA for histidine, 335
IGNER, E. R. & BECKWITH, J. R., Transposition of the *Lac* region of *Escherichia coli*, 33
IMMONS, R. M. (see DUNNILL, P.), 135
LAYTER, H. (see COHEN, C.), 385
RINIVASAN, P. R. (see WAINFAN, E.), 349
treptococcus and Pneumococcus heterospecific transformation, 109, 123
tructural characterization of ribosomal ribonucleic acids from various species by a new 'fingerprinting' technique, 397
ulphydryl heavy-atom derivatives of ox haemoglobin and β-lactoglobulin; factors affecting isomorphism of native and derivative crystals, 135
USSMAN, M. (see LOOMIS, W. F., JR.), 401
ymmetry of protein oligomers formed by isologous association, 405
ynthesis of a specific enzyme during cellular slime mold development, 401

T4 (see bacteriophage), 173
THOMAS, R., The control of development in temperate bacteriophages. I. Induction of prophage genes following heteroimmune super-infection, 79
Tobacco mosaic virus RNA orientation, 165
Transformation, heterospecific, of Pneumococcus and Streptococcus, 109, 123
TSUGITA, A. (see INOUYE, M.), 193

Ultraviolet irradiation or heat induction, inhibition of tRNA methylases in lysogenic organisms, 349

Vesicular stomatitis virus defective (T) and plaque-forming (B) particles, sedimentation coefficients of extracted RNA, 381
Virus (see tobacco mosaic virus), 165
— (see vesicular stomatitis virus), 387

WAINFAN, E., SRINIVASAN, P. R. & BOREK, E., Inhibition of tRNA methylases in lysogenic organisms after induction by ultraviolet irradiation or by heat, 349
WARNER, R. R. (see HUANG, A. S.), 381
WATSON, J. D. & RALPH, R. K., The nature of 7s RNA in mammalian cells, 67
WILSON, H. R. (see MCGAVIN, S.), 187